

MESA96

SLIDE 1

MESA SOFTWARE

e-mail

ehlers@mesasoftware.com

home page

www.mesasoftware.com

Are There Cycles in the Market?

SLIDE 2

- **My Experience**
 - Tradeable cycles are present only 15% - 30% of the time
 - Randomness is related to timing and the length of observation
- **A trading system must include procedures for the other 70% - 85% of the time**
- **I relate the market to known physical phenomena**
 - Smoke plume for Trend Modes
 - Meandering river for Cycle Modes

Theoretical Problem Solution

SLIDE 3

- Both randomness and short term cycles can arise from the solution to the random walk problem
- Solution is the “Diffusion Equation” for Trend Modes
- Solution is the “Telegraphers Equation” for Cycle Modes

Diffusion Equation

SLIDE 4

- **“Drunkard’s Walk” is a special form of the random walk problem**
 - The drunk flips a coin to determine right or left with each step forward
 - The random variable is direction
- **The Diffusion equation is the solution**
 - describes smoke coming from a smokestack
- **The smoke plume is analogous to market conditions**
 - Breeze bends the plume to an average trendline
 - Plume widens with distance - distant predictions are less accurate
 - Smoke density is analogous to prediction probability - the best estimator is the average

Telegrapher's Equation

SLIDE 5

- **Modify the “Drunkard’s Walk” problem**
 - Coin flip decides whether the drunk will reverse his direction, regardless of the direction of the last step
 - The random variable is now momentum, not direction
- **Solution is now the Telegrapher’s Equation**
 - Describes the electric wave on a telegraph wire
 - Also describes a meandering river
- **A river meander is a short term cycle**
 - Random probability exists (Diffusion Equation) IF:
 - Individual meanders are overlaid
 - Or a long data span is taken

The Market is Similar to a Meandering River


SLIDE 6

- Both follow the path of least resistance
- Rivers attempt to keep a constant water slope - maintains the conservation of energy.
- Conservation of Energy produces the path of least resistance
 - Paths of uniform resistance look like pieces of sinewaves
- Market Forces (greed, fear, profit, loss, etc.) are similar to physical forces, producing paths of uniform resistance.
- Think about how the masses ask the question:
Will the market change?
OR
Will the trend continue?

What is a cycle?

SLIDE 7


- A cycle is a variation where the point of observation returns to its point of origin
 - An engine turns at 2000 rpm, each rotation is a cycle
- Frequency is the repetition rate of the cycle
 - For example: a 14 day market cycle
- Period is the reciprocal of frequency
 - For example: a 14 day market cycle
- A simple cycle can be pictured as a rotating arrow
 - A full rotation returns to the origin
 - Fractions of a complete cycle are measured by phase angle




Sinewaves

SLIDE 8

- A sinewave can be generated by connecting a pen to the arrow and pulling a piece of paper




- Phase angles increase uniformly




Phase Advance Produces a Leading Indicator

SLIDE 9

- Conventional Sinewave



- Crossover Trading Signals using phase lead




Wave Synthesis is Easy


SLIDE 10

- Sinewaves are the primitives to synthesize more complex waves

$$\text{wave} = \text{SIN}(F*T) - \text{SIN}(2*F*T)/2 + \text{SIN}(3*F*T)/3$$



Combined Waveform: Elliott Wave?



Cycle Measurement

SLIDE 11

- Cycle Finders
- FFT (Fast Fourier Transform)
- MESA (Maximum Entropy Spectral Analysis)

Cycle Finders

SLIDE 12

- Basically count the number of bars between successive lowest lows or successive highest highs.
- Ehrlich cycle finder is a pantograph that enables cycle count on paper charts
- All software toolboxes have cycle finders
- Disadvantages:
 - Depend on a long term correlation - therefore assume the cycle is continuously present
 - Even the shortest measurement is discrete and cannot adjust for changing cycles

FFT

SLIDE 13

■ Constraints:

- Data is a representative sample of an infinitely long wave
- Data must be stationary over the sample time span
- Must have an integer number of cycles in the time span

■ Assume a 64 day time span

- Longest cycle is 64 days
- Next longest is $64/2 = 32$ days
- Next longest is $64/3 = 21.3$ days
- Next longest is $64/4 = 16$ days

■ Result is poor resolution - gaps between measured cycles

FFT (Continued)

SLIDE 14

■ Paradox:


- The only way to increase resolution is to increase the data length
- Increased data length makes realization of the stationarity constraint highly unlikely
 - 256 data points are required to realize a 1 bar resolution for a 16 bar cycle (right where we want to work). This would require the 16 day cycle to be present and consistent for an entire year!

■ Conclusion: FFT measurements are not suitable for market analysis!

MESA Cycle Measurement

SLIDE 15

- Feedback optimally adjusts filter so the filter output is the same as the data waveform
 - Pattern matching in the time domain
 - No intrinsic resolution limitation or frequency distortions



How MESA Works

SLIDE 16

- **The White Noise Source contains all frequencies**
 - The tuned filter output is the same as the real data
 - The frequency response of the filter is the same as the frequency response of the data
- **The frequency response of the filter is examined after the filter is tuned**
- **The digital clock can run into the future so the filter output forms a prediction. (If the cycles continue with the same amplitude and phase.)**

Moving Averages

SLIDE 17

- **All moving averages smooth the data**
 - They are filters that remove the high frequency content (the shorter cycles)
 - Longer averages provide more smoothing
- **All moving averages lag in the time domain**
 - Longer averages provide more Lag
- **Use of moving averages is always a tradeoff between desired smoothing and tolerable Lag**

Kinds of Moving Averages

SLIDE 18

- **Simple Moving Average**
 - Simple algorithm
 - Fast Computation
- **Exponential Moving Average**
 - Simple recursive algorithm
 - Fast Computation
- **Weighted Moving Average**
 - Very small lag
 - Approximates a Bessel Filter (equal time lag at all frequencies)
 - Nonrecursive, but now reasonable to use with faster computers

Summary

SLIDE 19

THEORY

- MESA is the best way to measure cycles
- Phase is an important parameter
- Phase lead anticipates cycle turning points
- Cycle is constant rate change of phase
- Weighted moving averages are superior

EASY TO USE

Practical MESA96 Displays

- Dominant Cycle and Spectral Contour correlate to price bars
- Measured Phase correlates to price bars
- Sinewave Indicator provides clear crossover signals
- Trend Mode signaled by price bar color change
- Weighted Moving Averages indicate trend direction

MESA96 Measurements

SLIDE 20

